

وسهلا

أهلا

يُمنع أخذ السلايدات بدون
إذن المحرر واي اجراء
يخالف ذلك يقع تحت
طائلة المسؤولية القانونية



الأستاذ الدكتور يوسف حسين

أستاذ التشريح وعلم الأجنة - كلية الطب - جامعة الزقازيق - مصر

رئيس قسم التشريح و الأنسجة و الأجنة - كلية الطب - جامعة مؤتة - الأردن

دكتورة من جامعة كولونيا المانيا

جروب الفيس د. يوسف حسين (استاذ التشريح)

اليوتيوب د. يوسف حسين


https://www.youtube.com/channel/UCVSNqbibj9UWYaJdd_cn0PQ

Prof. Dr. Youssef Hussein Anatomy - YouTube


dr_youssefhussein@yahoo.com



Development of the face



- The **face** is dominated by the appearance of the pharyngeal arches
- **Stomodeum**, Primitive oral cavity that **closed by oral membrane** is **ectodermal recess** between the relatively huge forebrain and cardiac prominence .




- The face develops from **5 mesodermal swellings** which appear around **stomodeum**
 - I. **Frontonasal process** above the stomodeum.
 - II. **2 maxillary swellings** (above and lateral to the stomodeum) from the 1st pharyngeal arch.
 - III. **2 mandibular swellings** (below and lateral to the stomodeum) from the 1st pharyngeal arch.

**Nasal
placodes**

Frontal bone

Nasal process


dr_youssefhussein@yahoo.com



**** Development of the frontonasal process:**

- a-** The upper part forms the **frontal bone**.
- b-** The lower part forms the **nasal process**.
- **Nasal placodes, ectodermal swellings** develop in lower border of nasal process.

Lateral nasal process




Nasal pit

Medial nasal process

dr_youssefhussein@yahoo.com

- **Two nasal pits** (nostril) appear in the nasal placode divide the nasal process:
 - a- Two lateral nasal processes form the ala of the nose.
 - b- Two medial nasal processes

**Median
nasal
process**



**Lateral nasal
process**

dr_youssefhussein@yahoo.com


- Two medial nasal processes unit with each other forming **median nasal process (Intermaxillary segment)**

Philtrum

Nasal septum


**Premaxilla carries
four incisor teeth**

**Triangular primary
palate**



dr_youssefhussein@yahoo.com

- **Median nasal process gives rise to:**
 - 1- Part of the nasal septum.
 - 2- Philtrum (middle) of the upper lip.
 - 3- Premaxilla (upper jaw that carries 4 incisor teeth).
 - 4- Primary palate.



Development of the maxillary process

- The 2 maxillary processes grow medially above the stomodeum towards the **lateral nasal processes** but **separated from** them by a well developed ectodermal groove called **nasolacrimal groove**.
- The edges of **nasolacrimal groove** fused forming a **solid cord**. Later on; canalized and forms the **nasolacrimal canal**.

- The maxillary processes continue to grow medially and **fused with the lateral nasal processes**. Later on; they fused with the margins of the **median nasal process to form the upper jaw**.
- A horseshoe **labiogingival groove** divides upper jaw into
a) Outer part forms upper lip. b) Inner part forms gum.
 - ** **Development of the mandibular process**
- They grow medially below the stomodeum and fused with each other in the midline forming the **primitive lower jaw**.
- A horseshoe **labiogingival groove** divides lower jaw into
a) Outer part forms lower lip. b) Inner part forms gum.
 - ** **Development of the muscles of the face**
- They developed from the mesoderm of the **2nd pharyngeal arch** (supplied by the facial nerve).



dr_youssefhussein@yahoo.com



Congenital anomalies of the face

- **Oblique facial cleft**: due to failure of fusion of the maxillary processes with the **lateral nasal processes** along the line of the **nasolacrimal canal**.
- **Atresia of the nasolacrimal canal**



dr_youssefhussein@yahoo.com

- **Harelip (cleft):** in the upper lip
- It may be in the lip only or may be associated with the cleft palate.
- **Median harelip (cleft)**
- **Due to** failure of fusion of the 2 medial nasal processes (No philtrum).



dr_youssefhussein@yahoo.com

Hare (cleft) lip

- **Unilateral harelip:** due to failure of fusion between the **maxillary process** and the **median nasal process** (fissure between philtrum and lateral part of the upper lip) **in one side.**
- **Bilateral harelip:** due to failure of fusion between the maxillary processes with the median nasal processes, **on both side.**

dr_youssefhussein@yahoo.com



Unilateral



Bilateral


dr_youssefhussein@yahoo.com

Cleft lower lip due to failure of fusion of **mandibular processes** in the midline.





dr_youssefhussein@yahoo.com



- **Microstomia** (narrow mouth opening): due to **excessive fusion** of the maxillary and mandibular processes on each side.

- **Macrostomia** (wide mouth opening): due to **incomplete fusion** of the maxillary and mandibular processes on each side.

<https://www.youtube.com/@ProfDrYoussefHusseinAnatomy/playlists>



يُمنع أخذ السلايدات بدون
إذن المحرر واي اجراء
يخالف ذلك يقع تحت
طائلة المسؤولية القانونية

Thank You

Questions

اليوتيوب د. يوسف حسين

Prof. Dr. Youssef Hussein Anatomy - YouTube