GIT-pathology

Archive

Lecture 3

Pathology of the stomach

Done by:

Razan fawwaz



patho - lecture (3)

- 1. Second most common primary gastric lymphoma:
- A- Hodgkin lymphoma.
- Diffuse large B cell lymphoma.
- C Non-hodgkin lymphoma.
- D- Marginal zone B cell lymphoma.
- E- Adenocarcinoma.

Answer. B

- 2. Which is incorrect regarding autoimmune gastritis:
- A- Antibodies to parietal cells and intrinsic factor.
- B- Antral endocrine cell hyperplasia.
- C-Impaired gastric acid production
- D-Increased serum pepsinogen I.
- E-Vit-B12 deficiency.

Answer. D

3.man with peptic ulcer have milk releasefrom nipple what is the druge may cause it:

- a.Omperazole
- b.Metocloprimide
- c.HZhistamine
- d.cimetidine

Answer:d

- 4. The most commonprimary gastric lymphoma is?
- A. Diffuse large B cell.
- B. Extra nodal marginal zone B cel.
- C.Tcell lymphoma
- D. Follicular lymphoma.

ANSWER:B



patho - lecture (3)

- 5. Which of the following etiologies is least likely to cause acute gastric ulcer?
- A. Intracranial disease.
- B. Allergy.
- C. Burns.
- D. Stress.
- E. Trauma.

ANSWER: B

اللهم آتنا في الدنيا حسنة وفي الاخرة حسنة وقنا عذاب النار بالتوفيق

