

①

7- tactile hallucinations are most common with?

- A. alcohol withdrawal
- B. Bipolar disorder
- C. Schizophrenia
- D. drug intoxication



②

1- Obsessions are:

- A. Impulse
- B. Words
- C. Images
- D. Thoughts
- E. All of the above



السؤال جاب التعريف واحنا نختار اسم المصطلح
Anxiety provoking images, ideas ,
urges and unwanted thoughts

③

4- Poor prognosis in OCD?

Yielding to compulsions

هون كان مغير بالسؤال بده good وهيك
الصيغه

**One of the following is considered a
good prognostic factor for OCD :

ANS : Episodic nature of symptoms

First years questions

1- Deficits in counting and calculations and solving math problems?

Dyscalculia

11- Wrong about methylphenidate?

Weight gain

1- In DSM-V criteria for enuresis, what is the duration needed for diagnosis?

2 times a week for 3 Months

2- Age for enuresis diagnosis?

A) 5 years

B) 3 years

C) 4 years

D) 7 years

← Marah replied to herself

1- In DSM-V criteria for enuresis, what is the duration needed for diagnosis?

2 times a week for 3 Months

2- Age for enuresis diagnosis?

A) 5 years

B) 3 years

هلا هاد السؤال اجا بالصيغة هاي

In DSM 5 Criteria of enuresis

Choose the false statement:

فبدك تكوني حافظه الكريتيريا كويس

8

**Inability to recognize & identify objects or a person is called :

Agnosia

9

Criteria of واه تذكرت كمان اجا سؤال على
Criteria OCD نختار الاشئ الصح اللي ضمن

10

One of the following is from Good prognostic factor for ppp :

High social support

11

*Hallmark of delirium tremens

12

*Good prognostic factor for MDD
(Severe depression)

13

*Woman complains from painful intercourse during vaginal penetration
(genito pelvic pain)



(14)

y

6- Pt came to the psychiatrist recently complains of worrying of everything, her kids, her husband, even his husband, her sleeping is ok?

Generalized anxiety disorder



(15)

13- Which is not a symptom of hypomania:

Grandiose delusions

Flight of ideas

Distractibility

Inflated self esteem

Decreased need for sleep



(16)

2- The criminal act should be preceded with which of the following to be considered as a crime ?

A- Mens era

B- substitutaed

C- justice

(12)

7- Projection of unconscious feelings regarding important figures in the patient's life onto the therapist

A) Transference

B) Countertransference



18

*What's the key difference between somatic symptom disorder & illness anxiety disorder

ناسية الخيارات بس الجواب كان إنه ب illness anxiety بكونوا خايفيين يكون عندهم serious medical illness على عكس SSD بتكون مشكلتهم بالاعراض

19

*therapeutic dose of lithium during the manic phase :

0.8 _ 1

20

26- Voices commenting on patient's actions?
Third person hallucination

21

33- Case with the following symptoms
(dietary reaction severe headache
palpitation hypertensive crisis) what is
this SE:

-tyramine reaction

هون كانت صيغة السؤال

MAOI has rare but life-threatening
condition characterized by dietary
reaction severe headache,
palpitation..)

What's the name of this condition

22

8- Difference between binge eating and bulimia Nervosa:

Absence of compensatory behaviors in binge eating



23

2- How to differentiate between delirium and dementia?

- A) level of consciousness OR fluctuating consciousness
- B) age
- C) behavior

7-1
de

24

In PTSD symptoms of changes in physical and emotional reaction also called arousal include all of the following except :

Include trouble sleeping ,poor quality ,good sleep

25

All of the following true about N 3 stage of sleep except
Not followed by N2

26

Question about DSM5 criteria of sleep disorder

27

Question about difference between schizophrenia and schizoaffective disorder

The presence of psychiatric disorder essential

28

Female complain from pain during
vaginal penetration
Genital pelvic pain

29

Case about malignant true
Most common in male

30

Difference between acute stress disorder
And PTSD

recurrence of symptom كأنه هيك

31

Case about postpartum depression مباشرة كانت

32

Subclinical depressive disorder more than 2 years
Persistent depressive disorder

33

Deficits in counting and calculation
Dyscalculia

34

4. The affect of drug after chronic use which means the they'll need to increase the dose to get the same effects :

- ✓ Tolerance
- Withdrawal
- Dependence
- Addiction

35

0.6 -1.2 (in exam it was less than that 0.8-1)

■ Post op-partum blues?
70%-90%

36

Case about normal physiological changes in non rem cycle

السؤال كان طويل كخيارات بس الجواب من
تحديد الدكتور