

# UGS-Anatomy

---

## Archive

### Lecture 7

#### Male ( ) Genital Organs

أسئلة المحاضرة بأكملها متوافقة مع محاضرة السنة الحالية وللمدرس نفسه، والله الحمد.

1. The following has a posterior relation with the prostate:

- A. Kidney.
- B. Urinary bladder.
- C. Aorta.
- D. Uterus.
- E. Fascia of Denonvilliers (Rectovesical septum).

**Answer: E. Fascia of Denonvilliers (Rectovesical septum).**

2. The following part of male reproductive system secretes most of seminal fluid:

- A. Prostate.
- B. Penis.
- C. Seminal vesicles.
- D. Epididymis.
- E. Paradidymis.

**Answer: C. Seminal vesicles.**

3. All of the following are branches of the internal pudendal artery, EXCEPT:

- A. Perineal artery.
- B. Inferior rectal artery.
- C. Middle rectal artery
- D. Artery of the bulb.
- E. Deep artery of the clitoris.

**Answer: C. Middle rectal artery.**

**N.B. You either know all the written branches from lectures: 5, 6 & 7, use mnemonic for it OR think of it like: middle rectal artery and internal pudendal artery are two distinct arteries that supply the prostate= The first one can't be a branch of the second one.**

4. One of the following is the palpated part of prostate during rectal examination:

- A. Membranous urethra.
- B. Lateral lobe.
- C. Inferior lobe.
- D. Anterior lobe.
- E. Posterior lobe.

Answer: E. Posterior lobe.

5. Retro-pubic pad of fat is related to bladder:

- A. Anteriorly.
- B. Posteriorly.
- C. Inferolaterally.
- D. Superiorly.
- E. Medially.

Answer: C. Inferolaterally.

6. Spermatogenesis begins in the:

- A. Uterine horn.
- B. Rete testes.
- C. Seminiferous tubules.
- D. Seminal vesicles.
- E. Prostate.

دكتور في ريلورد ١٧: ٣٧

Answer: C. Seminiferous tubules.

7. One of the following is INCORRECT as per the layers of the scrotum:

- A. External spermatic fascia.
- B. Internal spermatic fascia.
- C. Superficial fatty layer.
- D. Cremaster muscle.
- E. Involuntary dartos muscle.

Answer: C. Superficial fatty layer.

أسئلة المحاضرة بأكملها متوافقة مع محاضرة السنة الحالية وللمدرس نفسه، ولله الحمد.

8. All of the followings are coverings of the spermatic cord, EXCEPT:

- A. External spermatic fascia.
- B. Internal spermatic fascia.
- C. Cremasteric fascia.
- D. Cremaster muscle.
- E. Dartos muscle.

Answer: E. Dartos muscle.

9. The ascent and descent of testes occur by:

- A. External spermatic fascia.
- B. Internal spermatic fascia.
- C. Cremasteric fascia.
- D. Tunica vaginalis.
- E. Dartos muscle.

بريد ورد 12:55

Answer: C. Cremasteric fascia. (Main player in ascent and descent of testes)  
Dartos muscle= main player in scrotal skin wrinkling and shrinkage.

10. One of the following arteries DOES NOT enter the pelvis:

- A. Testicular artery.
- B. Median sacral artery.
- C. Internal iliac artery.
- D. Superior rectal artery.
- E. Ovarian artery.

Answer: A. Testicular artery.

A branch of the abdominal aorta at the L2  
↓

ثم ينزل مباشرة إلى inguinal canal ثم إلى scrotum