

Forensic medicine archive !

Group B

Which of the following must be found in primary report for this injury??

- 1) Caused by sharp tool
- 2) need more than 21 day to heal.
- 3) this is lacerated wound.


Answer = 1



type of wound ??

- 1) incised wound
- 2) stab wound
- 3) incised + lacerated
which called = chop injury.


Answer = 3



Can we use this to identify so

- 1 - sex
- 2 - sex and age
- 3 - personal identification


Answer = 2



this is X-ray for male age ??

- 1 - above 12
- 2 - above 20
- 3 - above 17


Answer = 3



this is process called so

- 1 - facial reconstruction
- 2 - facial recognition
- 3 - skull superimposition

Answer = 1



which of these picture suggest algor mortis !!


- 1) A
- 2) B
- 3) none

Answer = 2

this picture suggest?

- 1 - PM abrasion
- 2 - PM bruise
- 3 - AM abrasion


Answer = 1



all of the following are true except ~~so~~

- 1) this is strangulation
- 2) pale voluminous lung
- 3) lung is firm and rubbery.

Answer = 1




عمر بالزبط
صلي
لانها الصلبة
من الشرحه

40 year old man suddenly death, No previous history of disease, but he is complain from HTN and DM, from picture What is the cause of death. ?

- 1) Cardiovascular failure due to MI
- 2) " " " " HTN
- 3) AS failure due to PE.


Answer = 1



all of the following are false except about this picture?

- 1) hypostasis in the lower limb.
- 2) associated with hyoid fracture.
- 3) mainly homicidal.

Answers = 1



all of the following are true except ?

- 1) mainly homicidal.
- 2) petechiae and bruise are minimum
- 3) associated with hyoid bone fracture

Answers = 2

* all of these drug are used in ethanol toxicity except:


- 1) benzodiazepam
- 2) amphetamine
- 3) B complex

Answer: 2

* most appropriate presentation to diagnose methanol toxicity !!

- 1) snow storm appearance
- 2) tachycardia
- 3) dilated pupil.

Answer = 1



barium meal for someone ingest corrosive after 5 weeks what are the next step !!

- 1) esophageal dilatation
- 2) endoscopy and biopsy
- 3) surgery

Answer 1



baby come to emergency center and the mother said he is ingest a corrosive, what is the management !!

- 1) emesis and AC
- 2) IV fluid and analgesia
- 3) gastric lavage

Answer 2

* What is the mechanism of AC !!

- 1) enhance elimination only
- 2) decrease absorption only
- 3) enhance elimination and ↓ absorption

Answer 3

* What is the mechanism of Kerosene to cause respiratory failure?

- 1) chemical pneumonitis by aspiration.
- 2) neurogenic shock
- 3) surfactant overproduction

Answer: 1

* specific sign and symptom to drug toxicity called!

- 1) toxic syndrome
- 2) toxic syndrome
- 3) pattern toxic syndrome

Answer 1

* case: با هذا الامر
كان يحمي ملبس الكندر
بطلق دخصة له
مجلسه العج !!

oxyhemoglobin curve shifts to the same cold exposures

* * Jalap root is !!
drastic purgative



Which statement is false?

⇒ parathion moderately toxic.




What is most appropriate next step?

application splint.



true about this picture?
mainly neurotoxic.



best method to
differentiate accidental from non
accidental!!

⇒ sharply demarcated.



wrong statement !!


firing from far distance.



true about this?

Contact firing.


capillary refill



true about hypostasis
⇒ fixed after 8h

6 year old girl come with her mother
and the mother said she fell
what is next step !!

⇒ Contact child service



this chart used for ?

✶ indication of NAC