

# GIT-microbiology



## Archive

### Lecture 4

Parasitic Infections of the GIT (4)

Done by :

Nour

# micro - lecture (4)

1. Nitazoxanide is treatment of choice for :

- A- Cryptosporidium parvum
- B- Ascaris lumbricoides
- C- Schistosoma mansoni
- D- Giardia lamblia
- E- strongyloides stercoralis

Answer: A

2. The Ziehl Neelsen stain for which?

- A- G.lamblia
- B- Entamoeba histolytica
- C- Cryptosporidium
- D- Strongyloides stercoralis

Answer: C

3. Which of the following protozoa can cause dysentery?

- A- Enterobius vermicularis
- B- Entamoeba histolytica
- C- Trichuris trichiura
- D- Giardia lamblia
- E- Strongyloides stercoralis

Answer: B

## micro - lecture (4)

4. The infective stage of Cryptosporidium parvum is which of the following?

- A- Oocyst
- B- Trophozoite
- C- Mature cyst
- D- Mature egg
- E- Filariform larva

Answer: A

5. All of the following are predisposing factors for the development of infection with G.lamblia EXCEPT:

- A- Low level of secretory IgA in the gut
- B- Hypergammaglobulinemia
- C- Vitamin A deficiency

Answer: B

6. Which one is the largest protozoa?

**Blantidium coli**

7. For which of the following do we use enterotest ?

**Giardia lamblia**