Wateen Archive Psychiatry

- All of the following cause psychosis except
 Heroin
- Projection of unconscious feelings regarding important figures in the patient's life onto the therapist: Transference
- 3. tx of Agitation in delirium: haloperidol
- 4. -Not distinguishing between pp blues and pp depression :

Hallucination# **not sure

Duration

Hormonal change

Severity of symptoms

- 5. 45 female believe that government watch her, type of delusional disorder? Persecutary
- 6. pyromania categorized in DSM 5 criteria of: impulse control, conduct
- 7. All risk factor for ppstpartum disorder, expect: good social support
- 8. Not within criteria of SAD PERSON: low socioeconomic
- 9. All criteria of Schindler first rank execpt : visual hallucinations
- 10. Case with the following symptoms
 (dietary reaction severe headache
 palpitation hypertensive crisis) what is this
 :Tyramine reaction
- 11. All side effects of carbamazepine except :Liver enzyme inhibition

- 12. All FDA approved drug for OCD except: Atomextine
- 13. Which of these is a most common side effect of SSRI? dry mouth
- 14. All biological symptoms of MDD Except?

Headache# **not sure

Hypersomnia

Amenorrhea

- 15. All are true about benzodiazepines except ?Symptoms withdrawal immediately after the last dose
- 16. which is deterioration of language function & the person is unable to communicate effectively with others: Aphasia

- 17. Inability or difficulty in describing or being aware of one's emotions or mood?

 Alexithymia
- 18. Different between in schizoeffective and psychotic??
 - Schizoeffective psychotic symptoms occur during and after mood episodes
- 19. According to DSM 5 one of the following is not a subtype of adjustment disorder:

 Adjustment disorder with psychotic features
- 20. Which of the following interventions should taken for patients with adjustment disorder ?Provide safe environment is essential
- 21. Traumatized person is likely to be diagnosed with PTSD after having symptoms at least? One month

- 22. Physicians differentiate between rapid eye movement and non rapid eye movement, which statement is related to REM sleep? Most dreams occurs in this stage
- 23. Patient reported inability to sleep after working at Night Shift, What should you recommend to promote Normal circadian cycle? Darken the room completely when sleeping
- 24. Female pain during vaginal intercourse or penetration attempts and cause a distress?? Genito-pelvic pain
- 25. Difference between somatic symptom disorder and factitious?? Factitious intetional falsification of symptoms while SSD doesn't
- 26. Difference between Bulimia nervosa and binge eating?? BN has a purging behaviour while binge not

27. Difference between anorexia nervosa and bulimia??

BN normal body weight while AN not

28. Benzodiazepines use in anxiety?? For short term relief of anxiety

29.

■ Wernicke's syndrome triad ?

Confusion ,ocular disturbance,ataxia

gold standard for : بده الجواب الخط diagnosis is MRI

25) 27-year-old man has become increasingly withdrawn over the past 8 months. He isolates himself in his room and avoids interacting with others, including his family. He reports hearing voices that comment on his actions and insists that the television is sending him secret messages. He believes that strangers are watching him through hidden cameras. He has no history of substance use or medical illness.

Which of the following is the most likely diagnosis?

- A. Schizoaffective disorder
- B. Major depressive disorder with psychotic features
- C. Brief psychotic disorder
- D. Schizophrenia

31.

- 22)14- Patient has schizotypal personality disorder, what other feature does he have?
- Odd belief and magical thinking
- need admiration
- avoidance of socializing

32.

13-which of the following best describes the behavioral response to intrusive and distressing thoughts (obsessions)?

a) Impulsivity
b) Delirium
c) Compulsion
d) Hallucination

33.

8-Two voices or more talk to another referring to the patient as "he" or "she" and may give a running commentary on the patients action or intention

-Third person hallucination

34.

24 Subclinical depressive disorder, with chronicty for at least 2 years (1 year in children + adolescents) and an insidious onset often in childhood or adolescence?

(Persistent Depressive Disorder)

35. one of the following is not side effects of valporic acid: Hirsutism

32)the child have alarm connected to there bladder that Ringing after the child begins wet , what is the name of this device

a- aversion therapy • الصح b- urination device

question was the name of psychotherapy? aversion

The device? enuresis alarm

37. Predictors of a Bipolar Process rather than a Unipolar one, except:
double depression
marked psychomotor agitation
**not sure

38. case about Recurrent unexpected panic attacks followed by one month fear of having a same one

39. Deficits in counting and calculations and solving math problems?

Dyscalculia